TE TOOL SELECTOR GUIDE

Hilti solutions for rotaries

TOOL SELECTOR FOR BATTERY ROTARIES

TOOL	TE 2-22	TE 4-22	TE 5-22	TE 6-22	TE 30-22	TE 60-22
DRILL BIT DIAMETER						
3/16″	✓+	✓+	✓+	✓	✓	
1/4″	✓+	✓+	✓+	✓+	✓	
5/16″	✓+	✓+	✓+	✓+	✓	
3/8″	✓+	✓+	✓+	✓+	✓+	
1/2″	✓	✓+	✓+	✓+	✓+	✓
9/16″	✓	✓	✓+	✓+	✓+	✓
5/8″	✓	✓	✓+	✓+	✓+	✓+
11/16″		✓	✓	✓	✓+	✓+
3/4″		✓	✓	✓	✓+	✓+
7/8″		✓	✓	✓	✓	✓+
1″		✓	✓	✓	✓	✓+
1-1/8″					✓	✓+
1-1/4″						✓+
1-3/8″						✓+
1-1/2″						✓+
1-9/16″						✓
1-3/4″						✓
2″						
MATERIAL						
High Reinforced Concrete	✓	✓	✓+	✓	✓+	✓+
Concrete, Granite, Solid Brick	✓+	✓+	✓+	✓+	✓+	✓+
Hollow Brick Ties	✓	✓+	✓+	✓	✓	✓
Weight with Recommended Battery	5.9 lbs	7 lbs	8.8 lbs	7.9 lbs	11.2 lbs	13.9 lbs
Chisel Function			Yes	Yes	Yes	Yes
FEATURES						
ATC		Yes	Yes	Yes	Yes	Yes
AVR		Yes		Yes	Yes	Yes
DRS		Yes	Yes	Yes		
Tether	Yes	Yes	Yes	Yes	Yes	Yes
Connection End	C SDS plus	C SDS plus	C SDS plus	C SDS plus	C SDS plus	Y SDS max

✓ Possible

✓+ Optimal

ATC Active Torque Control

AVR Active Vibration Reduction

DRS On-board Dust Removal System

Dust removal option available for all tools. Select your DRS solution here.

HILTI

NURON

TOOL SELECTOR FOR CORDED ROTARIES

TOOL	TE 2	TE 2-S	TE 3-C	TE 7-C	TE 30	TE 30-C-AVR
DRILL BIT DIAMETER						
3/16″	✓+	✓+	✓	✓	✓	✓
1/4″	✓+	✓+	✓+	✓+	✓	✓
5/16″	✓+	✓+	✓+	✓+	✓	✓
3/8″	✓+	✓+	✓+	✓+	✓+	✓+
1/2″	✓+	✓+	✓+	✓+	✓+	✓+
9/16″	✓	✓	✓+	✓+	✓+	✓+
5/8″	✓	✓	✓+	✓+	✓+	✓+
11/16″	✓	✓	✓	✓	✓+	✓+
3/4″	✓	✓	✓	✓	✓+	✓+
7/8″			✓	✓	✓	✓
1″					✓	✓
1-1/8″						
MATERIAL						
High Reinforced Concrete	✓	✓	✓	✓	✓+	✓+
Concrete, Granite, Solid Brick	✓+	✓+	✓+	✓+	✓+	✓+
Hollow Brick Ties	✓	✓+	✓	✓	✓	✓
Weight	5.3 lbs	5.3 lbs	6.6 lbs	7 lbs	8.7 lbs	8.8 lbs
Chisel Function			Yes	Yes	Yes	Yes
FEATURES						
AVR						Yes
DRS				Yes		
Connection End	SDS plus	SDS plus	SDS plus	SDS plus	SDS plus	SDS plus

✓ Possible

✓+ Optimal

AVR Active Vibration Reduction

DRS On-board Dust Removal System

HILTI

TOOL SELECTOR FOR CORDED ROTARIES

TOOL	TE 50-AVR	TE 60-AVR	TE 60-ATC/AVR	TE 70-AVR	TE 70-ATC/AVR
DRILL BIT DIAMETER					
½″	✓	✓	✓	✓+	✓
9/16″	✓	✓	✓	✓+	✓
⅝″	✓+	✓	✓	✓+	✓
11/16″	✓+	✓	✓	✓+	✓
¾″	✓+	✓+	✓+	✓+	✓+
⅞″	✓+	✓+	✓+	✓+	✓+
1″	✓+	✓+	✓+	✓+	✓+
1-⅛″	✓+	✓+	✓+	✓+	✓+
1-¼″	✓+	✓+	✓+	✓+	✓+
1-⅜″	✓	✓+	✓+	✓+	✓+
1-½″	✓	✓+	✓+	✓+	✓+
1-9/16″	✓	✓+	✓+	✓+	✓+
1-¾″				✓	✓+
2″				✓	✓+
2-1/16″					✓
2-⅛″					
MATERIAL					
High Reinforced Concrete	✓+	✓+	✓+	✓+	✓+
Concrete, Granite, Solid Brick	✓+	✓+	✓+	✓+	✓+
Weight	13.4 lbs	13.9 lbs	16.3 lbs	16.9 lbs	19.6 lbs
Chisel Function	Yes	Yes	Yes	Yes	Yes
FEATURES					
ATC			Yes		Yes
AVR	Yes	Yes	Yes	Yes	Yes
Connection End	SDS max	SDS max	SDS max	SDS max	SDS max

✓ Possible

✓+ Optimal

ATC Active Torque Control

AVR Active Vibration Reduction

HILTI

WHD • 12/22