

CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)
Issue date: 12/13/2021

Revision date: 12/13/2021

Supersedes: 10/04/2018

Version: 4.0

SECTION 1: Identification

1.1. Product identifier

Product form	Mixture
Trade name	CFS-SP SIL
Product code	BU Fire Protection

1.2. Recommended use and restrictions on use

1.3. Supplier

Supplier
Hilti (Canada) Corp.
2360 Meadowpine Boulevard
L5N 6S2 Mississauga, Ontario - Canada
T +1905 8139200
1-800-363-4458 toll free - F +1 905 813 9009

Department issuing data specification sheet
Hilti AG
Feldkircherstraße 100
9494 Schaan - Liechtenstein
T +423 234 2111
chemicals.hse@hilti.com

1.4. Emergency telephone number

Emergency number	Chem-Trec Tel.: 1 800 424 9300 (USA, PR, Virgin Islands, Canada) Tel.: 703 527 3887 (Other countries)
------------------	---

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.
Carcinogenicity, Category 1B	H350	May cause cancer.
Full text of H-statements: see section 16		

2.2. GHS Label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA)



Signal word (GHS CA)

Danger

Hazard statements (GHS CA)

H317 - May cause an allergic skin reaction.
H350 - May cause cancer.

Precautionary statements (GHS CA)

P261 - Avoid breathing vapours.
P280 - Wear eye protection, protective clothing, protective gloves.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Methyltris(1-methylpropylideneaminoxy)silane	2-butanone, 2,2',2''-(O,O',O''-(methylsilyldiylidene)trioxime) / 2-butanone, O,O',O''-(methylsilyldiylidene)trioxime / baysilone crosslinking agent BO / butan-2-one O,O',O''-(methylsilyldiylidene)trioxime / butan-2-on-O,O',O''-(methylsilyldiylidene)trioxim / methyl oximino silane / methyl oximo silane / methyl tributanoneoximesilane / methyl tributanoxime silane / methyl tris (meko) silane / methyl tris (methylethylketoxymo) silane / methyl tris-(butanone oxime)silane / methyl tris-(methyl ethyl ketoximo) silane / methyltri(butanoneoximido)silane / methyltri(ethylmethylketoxime)silane / methyltri(methylethylketoxime)silane / methyltris / methyltris(((1-methylpropylidene)amino)oxy)silane / methyltris-(2-butanone oxime)-silane / methyltris(methylethylketoxime)silane / methyltris(((butan-2-ylidene)amino)oxy)silane / MTO / tris[(1-methylpropylidene)aminooxy](methyl)silane / tris-butanonoxime methylsilane	(CAS-No.) 22984-54-9	1 – 2.5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Vinyltris(methylethylketoxime)silane	2-butanone, O,O',O''-(ethenylsilyldiylidene)trioxime / butan-2-one O,O',O''-(vinylsilyldiylidene)trioxime / O,O',O''-(ethenylsilyldiylidene)trioxime-2-butanone / vinyl oximino silane / vinyl tris(butanone oxime) silane / vinyl tris(methyl ethyl ketoxime) silane / VOS (=vinyl oximino silane)	(CAS-No.) 2224-33-1	0.1 – 1	Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373
Butanone oxime	2-butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime 2-butanone oxime / 2-Butanone, oxime / 2-butanoneoxime / 2-butoxime / 2-oximinobutane / AOB / butanone oxime / ethyl methyl ketone oxime / ethyl methyl ketoxime / ethylmethylcetoxime / ethylmethylketoxime / MEKO (=methyl ethyl ketoxime) / MEK-oxime / methyl ethyl ketone oxime / methyl ethyl ketoxime / methylethylcetoxime / skino #2 / troykyd antiskin B / USAF AM-3 / USAF D0-44 / USAF EK-906	(CAS-No.) 96-29-7	0.1 – 1	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1B, H350 STOT SE 1, H370 STOT SE 3, H336 STOT RE 2, H373

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

First-aid measures after skin contact	Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Take off contaminated clothing. Wash contaminated clothing before reuse.
First-aid measures after eye contact	Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	May cause an allergic skin reaction.
Symptoms/effects after skin contact	May cause an allergic skin reaction.
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	Treat symptomatically.
-----------------------------------	------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
------------------------------	--

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media	Do not use a heavy water stream.
--------------------------------	----------------------------------

5.3. Specific hazards arising from the hazardous product

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up	Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products

Strong bases. Strong acids.

Incompatible materials

Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.

Environmental exposure controls

Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Protective clothing. Protective goggles. Avoid all unnecessary exposure.

Hand protection:

Protective gloves. Wear protective gloves.

Type	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR)			

Eye protection:

Chemical goggles or safety glasses

Type	Field of application	Characteristics
Safety glasses		

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. In order to avoid inhalation of mist/vapour, all spraying must be done wearing adequate respirator. Wear appropriate mask

Device	Filter type	Condition
	Type A - High-boiling (>65 °C) organic compounds	

CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Pasty.
Colour	white
Odour	characteristic
Odour threshold	No data available
pH	Not applicable.
Relative evaporation rate (butylacetate=1)	No data available
Relative evaporation rate (ether=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	> 35 °C
Flash point	> 93 °C Not applicable.
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	≈ 435 °C Not applicable, Non flammable.
Vapour pressure	No data available
Vapour pressure at 50 °C	No data available
Relative density	No data available
Density	1.3 g/cm ³
Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	No data available
Explosive properties	Product is not explosive.
Explosive limits	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable under normal conditions. Not established.
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use. Not established.
Conditions to avoid	None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.
Incompatible materials	Strong acids. Strong bases.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Hardening time: No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) Not classified
Acute toxicity (dermal) Not classified
Acute toxicity (inhalation) Not classified

Vinyltris(methylethylketoxime)silane (2224-33-1)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Male, Experimental value, Oral)
LD50 dermal rat	> 2009 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)

Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)	
LD50 oral rat	2463 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))

Butanone oxime (96-29-7)	
LD50 oral rat	2326 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral)
LD50 dermal rabbit	> 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 4.83 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE CA (oral)	100 mg/kg bodyweight
ATE CA (Dermal)	1100 mg/kg bodyweight

Skin corrosion/irritation Not classified
pH: Not applicable.
Serious eye damage/irritation Not classified
pH: Not applicable.
Respiratory or skin sensitization May cause an allergic skin reaction.
Germ cell mutagenicity Not classified
Carcinogenicity May cause cancer.
Reproductive toxicity Not classified

STOT-single exposure Not classified

Butanone oxime (96-29-7)	
STOT-single exposure	Causes damage to organs. May cause drowsiness or dizziness.
	Not classified

STOT-repeated exposure

Vinyltris(methylethylketoxime)silane (2224-33-1)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Butanone oxime (96-29-7)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not classified

CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Potential adverse human health effects and symptoms

Symptoms/effects after inhalation

Symptoms/effects after skin contact

Based on available data, the classification criteria are not met.

May cause an allergic skin reaction.

May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute)

Not classified

Hazardous to the aquatic environment, long-term (chronic)

Not classified

Vinyltris(methylethylketoxime)silane (2224-33-1)	
LC50 - Fish [1]	843 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	16 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
BCF - Fish [1]	0.5 – 0.6 (Other, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	10.19 (Calculated, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.773 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Methyltris(1-methylpropylideneaminoxysilane (22984-54-9)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Read-across, GLP)
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Read-across, GLP)
ErC50 algae	16 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
BCF - Fish [1]	0.5 – 5.8 (6 week(s), Cyprinus carpio, Flow-through system, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	0.36 (Experimental value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.481 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Butanone oxime (96-29-7)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	11.8 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, Nominal concentration)
BCF - Fish [1]	0.5 – 5.8 (OECD 305: Bioconcentration: Flow-Through Fish Test, 42 day(s), Cyprinus carpio, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	0.63 (Experimental value, Equivalent or similar to OECD 117)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.55 (log Koc, SRC PCKOCWIN v2.0, QSAR)

CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

12.2. Persistence and degradability

CFS-SP SIL	
Persistence and degradability	Not established.
Vinyltris(methylethylketoxime)silane (2224-33-1)	
Persistence and degradability	Not readily biodegradable in water.
Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)	
Persistence and degradability	Not readily biodegradable in water.
Butanone oxime (96-29-7)	
Persistence and degradability	Not readily biodegradable in water. Inherently biodegradable.

12.3. Bioaccumulative potential

CFS-SP SIL	
Bioaccumulative potential	Not established.
Vinyltris(methylethylketoxime)silane (2224-33-1)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
BCF - Fish [1]	0.5 – 0.6 (Other, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	10.19 (Calculated, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.773 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
BCF - Fish [1]	0.5 – 5.8 (6 week(s), Cyprinus carpio, Flow-through system, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	0.36 (Experimental value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.481 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Butanone oxime (96-29-7)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
BCF - Fish [1]	0.5 – 5.8 (OECD 305: Bioconcentration: Flow-Through Fish Test, 42 day(s), Cyprinus carpio, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	0.63 (Experimental value, Equivalent or similar to OECD 117)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.55 (log Koc, SRC PCKOCWIN v2.0, QSAR)

12.4. Mobility in soil

Vinyltris(methylethylketoxime)silane (2224-33-1)	
Ecology - soil	Adsorbs into the soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.773 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	10.19 (Calculated, KOWWIN)
Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)	
Ecology - soil	Adsorbs into the soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.481 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	0.36 (Experimental value)
Butanone oxime (96-29-7)	
Surface tension	30.29 mN/m (16 °C)
Ecology - soil	Highly mobile in soil.

CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Butanone oxime (96-29-7)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.55 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Partition coefficient n-octanol/water (Log Pow)	0.63 (Experimental value, Equivalent or similar to OECD 117)

12.5. Other adverse effects

Ozone	Not classified
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport

Not applicable

CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Vinyltris(methylethylketoxime)silane (2224-33-1)
Listed on the Canadian DSL (Domestic Substances List)
Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)
Listed on the Canadian DSL (Domestic Substances List)
Butanone oxime (96-29-7)
Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Vinyltris(methylethylketoxime)silane (2224-33-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Butanone oxime (96-29-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

SDS Major/Minor	None
Issue date	12-13-2021
Revision date	12-13-2021
Supersedes	10-04-2018

Indication of changes:

Section	Changed item	Change	Comments
2		Modified	
3		Modified	
8		Modified	

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

None.

Full text of H-statements:

H227	Combustible liquid
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.



CFS-SP SIL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H370	Causes damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.

SDS_CA_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.