

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

SECTION 1. IDENTIFICATION

Product name : PETAMO GHY 133 N (H)

Article-No. : 094148

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Klüber Lubrication NA LP
9010 CR 2120
Tyler, Texas 75707
Phone: (903) 534-8021
Fax: (903) 581-4376

32 Industrial Drive
Londonderry, NH 03053
Phone: (603) 647-4104
Fax: (603) 647-4106

E-mail address of person
responsible for the SDS : mcm@us.kluber.com
Material Compliance Management

Emergency telephone num-
ber : +1-517-545-7070 NCEC

Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity
- repeated exposure (Oral) : Category 2 (ovaries, Testes, Liver, Adrenal gland)

GHS label elements

Hazard pictograms : 

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

Signal word	:	Warning
Hazard statements	:	May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause damage to organs (ovaries, Testes, Liver, Adrenal gland) through prolonged or repeated exposure if swallowed.
Precautionary statements	:	Prevention: Obtain special instructions before use. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF exposed or concerned: Get medical advice/ attention. If skin irritation or rash occurs: Get medical advice/ attention. Storage: Store locked up. Disposal: Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Mineral oil. Synthetic hydrocarbon oil polyurea

Components

Chemical name	CAS-No.	Concentration (% w/w)
Residual oils (petroleum), hydrotreated	64742-57-0	Trade secret (>= 30 - < 60)
Phenol, isopropylated, phosphate (3:1)	68937-41-7	Trade secret (>= 1 - < 5)
Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol	Not Assigned	Trade secret (>= 0.1 - < 1)

See Section 15 for HMIRA information.

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

If inhaled : Obtain medical attention.
Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Obtain medical attention.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Allergic appearance

Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus

Further information : Standard procedure for chemical fires.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.

Conditions for safe storage : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Residual oils (petroleum), hy- drotreated	64742-57-0	TWA (Mist)	5 mg/m ³	CA AB OEL
		STEL (Mist)	10 mg/m ³	CA AB OEL
		TWAEV (Mist)	5 mg/m ³	CA QC OEL
		STEV (Mist)	10 mg/m ³	CA QC OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
		TWA (Inhal- able particu- late matter)	5 mg/m ³	ACGIH

Engineering measures : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks

: Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	Not applicable
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	0.900 (20 °C) Reference substance: Water The value is calculated
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
Sublimation point	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Symptoms: Redness, Local irritation

Components:

Residual oils (petroleum), hydrotreated:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

Method: OECD Test Guideline 402

Phenol, isopropylated, phosphate (3:1):

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 200 mg/l Exposure time: 1 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 10,000 mg/kg GLP: no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 425 Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Remarks	: This information is not available.
---------	--------------------------------------

Components:

Residual oils (petroleum), hydrotreated:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation

Phenol, isopropylated, phosphate (3:1):

Species	: Rabbit
Exposure time	: 72 h
Assessment	: No skin irritation
Result	: No skin irritation
GLP	: no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species	: reconstructed human epidermis (RhE)
Assessment	: No skin irritation
Result	: No skin irritation

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: -	Date of first issue: 2021-05-24	Print Date: 2021-05-25
-------------	---------------------------	-----------------------	---------------------------------	------------------------

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405

Phenol, isopropylated, phosphate (3:1):

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
GLP	:	no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
Assessment	:	Does not cause respiratory sensitisation.
Result	:	Does not cause respiratory sensitisation.

Phenol, isopropylated, phosphate (3:1):

Species	:	Mouse
Assessment	:	Did not cause sensitisation on laboratory animals.
Method	:	OECD Test Guideline 429
Result	:	Did not cause sensitisation on laboratory animals.
GLP	:	yes

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: -	Date of first issue: 2021-05-24	Print Date: 2021-05-25
-------------	---------------------------	-----------------------	---------------------------------	------------------------

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Assessment : May cause sensitisation by skin contact.
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available
Genotoxicity in vivo : Remarks: No data available

Components:

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Carcinogenicity

Product:

Remarks : No data available

Components:

Residual oils (petroleum), hydrotreated:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available
Effects on foetal development : Remarks: No data available

Components:

Phenol, isopropylated, phosphate (3:1):

Reproductive toxicity - Assessment : - Fertility -
Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
- Teratogenicity -
Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Reproductive toxicity - Assessment : - Fertility -

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Residual oils (petroleum), hydrotreated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Test Type: Immobilization

Phenol, isopropylated, phosphate (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: Information given is based on tests on the mixture itself.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.44 mg/l
Exposure time: 48 h
Test Type: semi-static test
Remarks: Information given is based on tests on the mixture itself.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.5 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
Remarks: Information given is based on tests on the mixture itself.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.0031 mg/l
Exposure time: 33 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0415 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

PETAMO GHY 133 N (H)

Version 1.0 Revision Date: 2021-05-24 Date of last issue: - Date of first issue: 2021-05-24 Print Date: 2021-05-25

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Residual oils (petroleum), hydrotreated:

Biodegradability : Result: Not rapidly biodegradable

Phenol, isopropylated, phosphate (3:1):

Biodegradability : Result: Not rapidly biodegradable
Biodegradation: 17.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Biodegradability : Result: Not rapidly biodegradable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Phenol, isopropylated, phosphate (3:1):

Partition coefficient: n-octanol/water : log Pow: 4.92 - 5.17 (25 °C)

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Bioaccumulation : Bioconcentration factor (BCF): < 100

Partition coefficient: n-octanol/water : log Pow: 9.01

Mobility in soil

Product:

Mobility : Remarks: No data available

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Product:

Additional ecological information : Toxic to aquatic life with long lasting effects.

Components:

Phenol, isopropylated, phosphate (3:1):

Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB substance assessment

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Triaryl Phosphate Isopropylated, triphenyl phosphate)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Triaryl Phosphate Isopropylated, triphenyl phosphate)
Class : 9

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triaryl Phosphate Isopropylated, triphenyl phosphate)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triaryl Phosphate Isopropylated, triphenyl phosphate)
Class	:	9
Packing group	:	III
Labels	:	9
ERG Code	:	171
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : Diphenylamine

Canadian lists

No substances are subject to a Significant New Activity Notification.

No substances are subject to a Significant New Activity Notification.

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	: 8-hour, time-weighted average
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA AB OEL / STEL	: 15-minute occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA QC OEL / TWAEV	: Time-weighted average exposure value
CA QC OEL / STEV	: Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 2021-05-24

PETAMO GHY 133 N (H)

Version 1.0	Revision Date: 2021-05-24	Date of last issue: - Date of first issue: 2021-05-24	Print Date: 2021-05-25
----------------	------------------------------	--	---------------------------

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.