

## SAFETY DATA SHEET

Classified in accordance with Health Canada Hazardous Products Regulations (SOR/2015-17)

### 1 PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifier

Product name: GLEITMO WSP 5000

Other means of identification: For further information, please refer to section 9 of the SDS.

#### 1.2 Recommended use and restriction on use

Recommended use: Lubricant

Restrictions on use: No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH  
Friesenheimer Str. 19  
68169 Mannheim

Telephone: +49 621 3701-0 (ZENTRALE)  
Fax: +49 621 3701-570

1.4 Emergency telephone number: +49 621 3701-0 (Mo - Fr 08:00 am - 04:00 pm, GMT + 1)

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

##### Health Hazards

Serious Eye Damage/Eye Irritation Category 1

Reproductive toxicity Category 2

Specific Target Organ Toxicity - Repeated Exposure Category 2

##### Environmental Hazards

Chronic hazards to the aquatic environment Category 3

#### 2.2 Label Elements



Signal Words:

Danger

---

**Product name:** GLEITMO WSP 5000

**Hazard Statement(s):** H318: Causes serious eye damage.  
H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.  
H373: May cause damage to organs through prolonged or repeated exposure.  
H412: Harmful to aquatic life with long lasting effects.

**Precautionary Statements**

**Prevention:** P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P260: Do not breathe dust/fume/gas/mist/vapors/spray.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:** P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER or doctor/ physician.  
P308+P313: IF exposed or concerned: Get medical advice/attention.

**Storage:** P405: Store locked up.

**Disposal:** P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

**2.3 Other hazards:** The product may not be released into the environment without control. By handling of chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.

**Unknown toxicity:** Due to information available product does not contain any ingredients of unknown toxicity.

---

**3 COMPOSITION / INFORMATION ON INGREDIENTS****3.2 Mixtures**

**General information:** Mixture of the substances listed below with harmless additions.

Chemical name	Identifier	Concentration (%w/w)	Notes
Calcium Sulfonate	68584-23-6	1.00 - 5.00	
Ca-sulfonate	90194-26-6	1.00 - 5.00	
Lime hydrate	1305-62-0	1.00 - 5.00	
Triazine derivative	37640-57-6	1.00 - 5.00	
Zinc borate	12767-90-7	1.00 - 5.00	
Calcium Sulfonate	61789-86-4	1.00 - 5.00	
Ca Sulfonate	70024-69-0	0.50 - 1.50	
Na-Sebacat	17265-14-4	0.10 - 1.00	

**Product name:** GLEITMO WSP 5000

Triaryl phosphate, alkylated	68937-40-6	0.10 - 1.00	
inorganic Zink salt	7446-26-6	0.10 - 1.00	
phenolic antioxidant	128-37-0	0.10 - 1.00	
Amine aromatic , alkylated	68411-46-1	0.10 - 1.00	
Zn compound	1314-13-2	0.10 - 1.00	

A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

**Classification**

Chemical name	Identifier	Classification
Calcium Sulfonate	68584-23-6	Skin Sens. 1B;H317
Ca-sulfonate	90194-26-6	Eye Dam. 1;H318, Skin Irrit. 2;H315, Aquatic Chronic 3;H412
Lime hydrate	1305-62-0	Eye Dam. 1;H318, STOT SE 3;H335, Skin Irrit. 2;H315
Triazine derivative	37640-57-6	, STOT RE 2;H373, Repr. 2;H361f
Zinc borate	12767-90-7	Repr. 2;H361d, Aquatic Acute 1;H400, Aquatic Chronic 2;H411
Calcium Sulfonate	61789-86-4	Skin Sens. 1B;H317
Ca Sulfonate	70024-69-0	Skin Sens. 1B;H317
Na-Sebacat	17265-14-4	Eye Irrit. 2;H319
Triaryl phosphate, alkylated	68937-40-6	Aquatic Acute 1;H400, Aquatic Chronic 2;H411; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1
inorganic Zink salt	7446-26-6	Aquatic Chronic 1;H410, Aquatic Acute 1;H400
phenolic antioxidant	128-37-0	Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1
Amine aromatic , alkylated	68411-46-1	Repr. 2;H361f, Aquatic Chronic 3;H412
Zn compound	1314-13-2	Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation EC 1272/2008."

**4 FIRST AID MEASURES**

**General:** Instantly remove any clothing soiled by the product.

**4.1 Description of first aid measures**

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Rinse mouth thoroughly.

---

**Product name:** GLEITMO WSP 5000

---

**4.2 Most important symptoms and effects, both acute and delayed:** Risk of serious damage to eyes.

**4.3 Indication of any immediate medical attention and special treatment needed** Get medical attention if symptoms occur.

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

**Suitable extinguishing media:** CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

**Unsuitable extinguishing media:** Water with a full water jet.

### **5.2 Special hazards arising from the substance or mixture:**

During fire, gases hazardous to health may be formed.

### **5.3 Advice for firefighters**

**Special fire-fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures:** In case of spills, beware of slippery floors and surfaces.

**6.2 Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

**6.3 Methods and material for containment and cleaning up:** Scrape up spillage or absorb with absorbing material. Stop the flow of material, if this is without risk. Dispose of the material collected according to regulations.

**6.4 Reference to other sections:** See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

## **SECTION 7: Handling and storage:**

**7.1 Precautions for safe handling:** Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

---

**Product name:** GLEITMO WSP 5000

**7.2 Conditions for safe storage, including any incompatibilities:** Local regulations concerning handling and storage of waterpolluting products have to be followed.

**7.3 Specific end use(s):** Not applicable

**8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Product name:** GLEITMO WSP 5000

### 8.1.Exposure Limits

Chemical name	Type	Exposure Limit Values	Source
Base oil - Mist.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended
Base oil - Mist.	STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended
Base oil - Mist.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended
Base oil - Mist.	STEL	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended
Base oil - Mist.	TWA	1 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended
Base oil - Mist.	STEL	10 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended
base oil - Mist.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended
base oil - Mist.	STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended
base oil - Mist.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended
base oil - Mist.	STEL	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended
base oil - Mist.	TWA	1 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended
base oil - Mist.	STEL	10 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended

### 8.2.Exposure controls

#### Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

---

**Product name:** GLEITMO WSP 5000

---

**Individual protection measures, such as personal protective equipment**

<b>General information:</b>	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.
<b>Eye/face protection:</b>	Wear eye protection/face protection. Avoid contact with skin and eyes.
<b>Skin protection</b>	
<b>Hand Protection:</b>	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm
	Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
<b>Other:</b>	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
<b>Respiratory Protection:</b>	Not relevant, due to the form of the product.
<b>Thermal hazards:</b>	No data available.
<b>Hygiene measures:</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
<b>Environmental Controls:</b>	No data available.

---

## 9 PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1 Information on basic physical and chemical properties

**Appearance**

<b>Physical state:</b>	solid
<b>Form:</b>	Paste
<b>Color:</b>	Light brown
<b>Odor:</b>	Characteristic
<b>Odor Threshold:</b>	Not applicable for mixtures
<b>pH:</b>	substance/mixture is non-soluble (in water)
<b>Drop Point:</b>	Not applicable for mixtures
<b>Boiling Point:</b>	Value not relevant for classification
<b>Flash Point:</b>	Not applicable
<b>Evaporation Rate:</b>	Not applicable for mixtures
<b>Flammability (solid, gas):</b>	Value not relevant for classification

---

**Product name:** GLEITMO WSP 5000

---

<b>Explosion Limit - Upper (%):</b>	Not applicable for mixtures
<b>Explosion Limit - Lower (%):</b>	Not applicable for mixtures
<b>Vapor pressure:</b>	Not applicable for mixtures
<b>Relative vapor density:</b>	Not applicable for mixtures
<b>Relative density:</b>	1.10 g/cm3 (15 °C)
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Insoluble in water
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	Not applicable for mixtures
<b>Auto-ignition temperature:</b>	Value not relevant for classification
<b>Decomposition Temperature:</b>	Value not relevant for classification
<b>NLGI:</b>	2
<b>Explosive properties:</b>	Value not relevant for classification
<b>Oxidizing properties:</b>	Value not relevant for classification
<b>9.2 Other information</b>	No data available.

---

## SECTION 10: Stability and reactivity

---

<b>10.1 Reactivity:</b>	Stable under normal temperature conditions and recommended use.
<b>10.2 Chemical Stability:</b>	No data available.
<b>10.3 Possibility of hazardous reactions:</b>	None under normal conditions.
<b>10.4 Conditions to avoid:</b>	Avoid heat or contamination.
<b>10.5 Incompatible Materials:</b>	Strong oxidizing substances. Strong acids. Strong bases.
<b>10.6 Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

---

## 11 TOXICOLOGICAL INFORMATION

---

### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Ingestion:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	Causes serious eye damage.

### Acute toxicity

<b>Oral Product:</b>	ATEmix: 100,000 mg/kg
----------------------	-----------------------

---

**Product name:** GLEITMO WSP 5000**Specified substance(s)**

Calcium Sulfonate	LD 50 (Rat): > 5,001 mg/kg
Lime hydrate	LD 50 (Rat): 7,340 mg/kg
Triazine derivative	LD 50 (Rat): 2,500 mg/kg
Calcium Sulfonate	LD 50 (Rat): > 16,000 mg/kg
Ca Sulfonate	LD 50 (Rat): > 5,000 mg/kg (OECD 401)
Na-Sebacat	LD 50 (Rat): > 5,000 mg/kg (OECD 401)
Triaryl phosphate, alkylated	LD 50 (Rat): > 5,001 mg/kg
phenolic antioxidant	LD 50 (Rat): > 2,930 mg/kg (OECD 401)
Amine aromatic , alkylated	LD 50 (Rat): > 5,000 mg/kg (OECD 401)
Zn compound	LD 50 (Rat): > 15,000 mg/kg

**Dermal  
Product:****Specified substance(s)**

Calcium Sulfonate	Not classified for acute toxicity based on available data.
Ca-sulfonate	LD 50 (Rabbit): > 5,001 mg/kg (OECD 402) Based on available data, the classification criteria are not met.
Triazine derivative	LD 50 (Rat): 5,520 mg/kg
Calcium Sulfonate	LD 50 (Rat): > 5,001 mg/kg
Ca Sulfonate	LD 50 (Rabbit): > 5,000 mg/kg (OECD 402)
phenolic antioxidant	LD 50 (Rat): > 5,000 mg/kg (OECD 402)

---

**Product name:** GLEITMO WSP 5000

---

**Inhalation  
Product:**

<b>Specified substance(s)</b>	Not classified for acute toxicity based on available data.
Ca-sulfonate	No data available.
Lime hydrate	LC 50 (Rat, 4 h): 6.04 mg/l
Triaryl phosphate, alkylated	Based on available data, the classification criteria are not met.
Zn compound	LC 50 (Rat, 4 h): 5.7 mg/l

**Skin Corrosion/Irritation:**

<b>Product:</b>	Based on available data, the classification criteria are not met.
<b>Specified substance(s)</b>	
Calcium Sulfonate	OECD 404 (Rabbit): Not irritant.
Ca-sulfonate	OECD 404 Slightly irritating.
Calcium Sulfonate	OECD 404 (Rabbit): Not irritant.
Ca Sulfonate	OECD 404 (Rabbit): Not irritant.

**Serious Eye Damage/Eye Irritation:**

<b>Product:</b>	Based on available data, the classification criteria are met.
<b>Specified substance(s)</b>	
Calcium Sulfonate	OECD 405 (Rabbit): Not irritant.
Ca-sulfonate	OECD 405 May cause burns.

Amine aromatic ,  
alkylated

OECD 405 (Rabbit): Not irritant.

---

**Product name:** GLEITMO WSP 5000

---

**Respiratory or Skin Sensitization:**

**Product:**

Skin sensitizer: Based on available data, the classification criteria are not met.

Respiratory sensitizer: Based on available data, the classification criteria are not met.

**Specified substance(s)**

Calcium Sulfonate

May cause sensitization by skin contact.

Ca-sulfonate

, OECD 406-1 (Guinea Pig)Based on available data, the classification criteria are not met.

Calcium Sulfonate

May cause sensitization by skin contact.

Ca Sulfonate

May cause sensitization by skin contact.

phenolic antioxidant

No sensitizing effect (guinea pig); OECD 406

Amine aromatic , alkylated

No sensitizing effect (guinea pig); OECD 406

**Germ Cell Mutagenicity**

**Product:**

Based on available data, the classification criteria are not met.

**In vitro**

**Specified substance(s)**

Ca-sulfonate

(OECD 471)

Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Product:**

Based on available data, the classification criteria are not met.

**IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**NTP: US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**ACGIH: US.ACGIH Threshold Limit Values:**

No carcinogenic components identified

**Reproductive toxicity**

**Product:**

Based on available data, the classification criteria are met.

**Specific Target Organ Toxicity - Single Exposure**

**Product:**

Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:**

Based on available data, the classification criteria are met.

**Aspiration Hazard**

**Product:**

Based on available data, the classification criteria are not met.

---

## 12 ECOLOGICAL INFORMATION

---

---

**Product name:** GLEITMO WSP 5000

---

**General information:** Not applicable**12.1 Toxicity****Acute toxicity****Product:** Based on available data, the classification criteria are not met.**Fish****Specified substance(s)**

Calcium Sulfonate	LL 50 (Cyprinodon variegatus, 96 h): > 10,000 mg/l (OECD 203)
Ca-sulfonate	LL 50 (Fish, 96 h): > 1 mg/l (OECD 203) LL 50 (Fish, 96 h): < 10 mg/l (OECD 203)
Lime hydrate	LC 50 (Fish, 96 h): 50.6 mg/l (OECD 203)
Triazine derivative	LC 50 (Fish, 96 h): > 100 mg/l
Calcium Sulfonate	LC 50 (Fish, 96 h): > 10,000 mg/l (OECD 203)
Ca Sulfonate	LC 50 (Fish, 96 h): > 1,001 mg/l (OECD 203)
Na-Sebacat	LC 50 (Fish, 96 h): > 101 mg/l
Triaryl phosphate, alkylated	LC 50 (Fish, 96 h): 0.8 mg/l
Amine aromatic , alkylated	LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

**Aquatic Invertebrates****Specified substance(s)**

Calcium Sulfonate	EL50 (Daphnia magna, 48 h): > 1,000 mg/l
Ca-sulfonate	LL 50 (Water Flea, 48 h): 2.9 mg/l (OECD 202)
Lime hydrate	EC 50 (Water Flea, 48 h): 49.1 mg/l (OECD 202)
Triazine derivative	EC 50 (Water Flea): > 100 mg/l
Calcium Sulfonate	EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)
Ca Sulfonate	EC 50 (Water Flea, 48 h): > 1,001 mg/l
Triaryl phosphate, alkylated	EC 50 (Water Flea, 48 h): 0.202 mg/l
inorganic Zink salt	EC 50 (Water Flea, 48 h): 26 mg/l
phenolic antioxidant	EC 50 (Water Flea, 48 h): 0.61 mg/l (OECD 202)
Amine aromatic , alkylated	EC 50 (Daphnia magna): 51 mg/l (OECD 202)

---

**Product name:** GLEITMO WSP 5000

Zn compound EC 50 (Water Flea, 48 h): 2.2 mg/l

**Chronic Toxicity Product:** Based on available data, the classification criteria are met.

**Fish Specified substance(s)**  
Triaryl phosphate, alkylated NOEC (Fish, 90 d): 0.093 mg/l

**Aquatic Invertebrates Specified substance(s)**  
Lime hydrate NOEC (Water Flea, 14 d): 32 mg/l

Triaryl phosphate, alkylated NOEC (Water Flea, 21 d): 0.0399 mg/l

phenolic antioxidant NOEC (Water Flea, 21 d): > 0.39 mg/l

**Toxicity to Aquatic Plants Specified substance(s)**  
Calcium Sulfonate EL50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 1,000 mg/l

Ca-sulfonate EC 50 (Alga, 96 h): 29 mg/l

Lime hydrate NOEC (Alga, 72 h): 48 mg/l  
EC 50 (Alga, 72 h): 184.57 mg/l

Ca Sulfonate EC 50 (Alga, 72 h): > 1,000 mg/l

Triaryl phosphate, alkylated EC 50 (Alga, 72 h): 1.4 mg/l  
NOEC (Alga, 72 h): 0.05 mg/l

inorganic Zink salt EC 50 (Algae, 72 h): 0.233 mg/l (OECD 201)

Amine aromatic , alkylated EC 50 (72 h): > 100 mg/l (OECD 201)

Zn compound EC 50 (Alga, 72 h): 0.17 mg/l

## 12.2 Persistence and Degradability

**Biodegradation Product:** Not applicable for mixtures

---

**Product name:** GLEITMO WSP 5000**Specified substance(s)**

Ca-sulfonate	(OECD 301B) Readily biodegradable
Calcium Sulfonate	8.6 % (28 d) Not easily biodegradable
Triaryl phosphate, alkylated	61 % (28 d) Readily biodegradable
phenolic antioxidant	30 % (OECD 302C) Not readily degradable.
Amine aromatic , alkylated	Not readily degradable.

**12.3 Bioaccumulative potential****Product:** Not applicable for mixtures**Specified substance(s)**

phenolic antioxidant May be accumulated in organism

**12.4 Mobility in soil:****Product:** Not applicable for mixtures**12.5 Results of PBT and vPvB assessment:**

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:**

Harmful to aquatic life with long lasting effects.

---

**13 Disposal considerations****13.1 Waste treatment methods****General information:** Dispose in accordance with all applicable regulations.**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

---

**14 TRANSPORT INFORMATION****TDG**

Not Regulated.

**IMDG - International Maritime Dangerous Goods Code**

Not Regulated.

**IATA**

Not Regulated.

**Transport in bulk according to Annex II of MARPOL and the IBC Code:** Not applicable.

---

**15 REGULATORY INFORMATION****Inventory Status**

TSCA	On or in compliance with the inventory
DSL	On or in compliance with the inventory

---

**Product name:** GLEITMO WSP 5000

NDSL

Not in compliance with the inventory.

**16 OTHER INFORMATION****Revision Information:** Vertical lines in the margin indicate an amendment.**Wording of the H-statements in section 2 and 3**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H361f	Suspected of damaging fertility.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Training information:** Follow training instructions when handling this material.**Revision Date:** 12.03.2024**Disclaimer:**

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.