

# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272  
Issue date: 11/11/2025      Revision date: 11/11/2025      Supersedes: 05/05/2025

Version: 2.0

## SECTION 1: Identification

### 1.1. Product identifier

Product form	Article
Generic name	Synthetic diamond vacuum brazed wire
Product code	BU Diamond



### 1.2. Other means of identification

Other means of identification	2305664 DS-W 10.2 VB SP-H (1m) 2305663 DS-W 10.2-25m VB SP-H (25m) 2305662 DS-W 10.2-50m VB SP-H (50m) 2305661 DS-W 10.2-100m VB SP-H (100m) 2305665 DS-W 10.2-100m VB SP-H Abr (100m) 2305660 DS-W 10.2 VB SPX-H C&S (1m) 2305659 DS-W 10.2-25m VB SPX-H C&S (25m) 2305658 DS-W 10.2-50m VB SPX-H C&S (50m) 2305657 DS-W 10.2-100m VB SPX-H C&S (100m) 2254566 DS-W 9.3-100m VB SPX-H C&S (100m) 2453626 DS-W 10.5-100m VB SPX-H C&S 2453627 DS-W 9.2-100m VB SPX-H C&S 2453638 DS-W 10.5-25m VB SPX-H C&S 2453798 DS-W 9.2-50m VB SPX-H C&S 2453946 DS-W 10.5-50m VB SPX-H C&S Closed Loop wires* DS-W 10.5 VB CL (xx)m
*Closed loop wire does come in individual length as per customer requirement	

### 1.3. Recommended use of the chemical and restrictions on use

Recommended use	Cutting of concrete, reinforced concrete, steel parts in the construction industry, granite, marble and other stones
Restrictions on use	For professional use only



# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

### 1.4. Supplier's details

#### Supplier

Hilti (Canada) Corp.  
2201 Bristol Circle  
Suite 700  
CA L6H 0J8 Oakville, Ontario  
Canada  
T +1905 8139200  
1-800-363-4458 toll free, F +1 905 813 9009  
[ca-sales@hilti.com](mailto:ca-sales@hilti.com)

#### Department issuing data specification sheet

Hilti AG  
Feldkircher Strasse 100  
FL 9494 Schaan  
Liechtenstein  
T +423 234 2111  
[product.compliance-power.tools@hilti.com](mailto:product.compliance-power.tools@hilti.com)

### 1.5. Emergency telephone number

Emergency number	Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 101022 (USA domestic) 1 800 535 5053 or international (001) 352 323 3500
------------------	--

## SECTION 2: Hazard identification

### 2.1. Classification of the substance or mixture

#### Classification (GHS CA)

Not classified

### 2.2. GHS Label elements, including precautionary statements

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

#### Comments

Synthetic diamond wires have been invented originally for the stone industry and are composed of a steel core wire mounted with beads and optionally springs. The wire can be injected with a medium, typically plastic or rubber.

Substance concentrations are depending on product and model.

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
copper	copper bronze, powder / copper, powder	CAS-No.: 7440-50-8	3 - 7	Not classified
Tin	Tin alpha-tin / silver matt / tin	CAS-No.: 7440-31-5	1 - 5	Not classified

Full text of hazard classes and H-statements : see section 16

# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. When symptoms occur: go into open air and ventilate suspected area.
First-aid measures after skin contact	Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Do not rub eye. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Rinse mouth.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	May cause respiratory irritation.
Symptoms/effects after eye contact	May cause severe irritation.
Potential adverse human health effects and symptoms	Irritation: may cause irritation to the respiratory system.

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	Treat symptomatically.
-----------------------------------	------------------------

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media	Use extinguishing agent suitable for surrounding fire. Water. Sand. Foam. Carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the hazardous product

Fire hazard	Not flammable.
-------------	----------------

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
--------------------------------	---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up	Shovel into suitable and closed container for disposal.
-------------------------	---

For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	The product should not be used for purposes other than those shown above without first referring to the supplier and obtaining written handling instructions.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.
Additional hazards when processed	Normal use of this product shall imply use in accordance with the instructions on the packaging and in line with the expectations of a professional user.

# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage conditions

Store in a dry place. Protect from moisture. Keep away from heat and direct sunlight. Keep away from ignition sources.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

copper (7440-50-8)	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Copper
OEL TWA	0.2 mg/m <sup>3</sup> Fume 1 mg/m <sup>3</sup> Dusts/mists, as Cu
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Copper
VEMP (OEL TWAEV)	0.2 mg/m <sup>3</sup> Fume (as Cu) 1 mg/m <sup>3</sup> Dusts & mists (as Co)
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Copper, as Cu
OEL TWA	1 mg/m <sup>3</sup> Dusts and mists 0.2 mg/m <sup>3</sup> Fume
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Copper, as Cu
OEL TWA	0.2 mg/m <sup>3</sup> (Fume) 1 mg/m <sup>3</sup> (Dusts and mists)
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever
Regulatory reference	ACGIH 2025
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	Copper Dusts and mists, as Cu
OEL TWA	1 mg/m <sup>3</sup>
Notations and remarks	Irr; GI; metal fume fever
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Copper, as Cu
OEL TWA	0.2 mg/m <sup>3</sup> (Fume) 1 mg/m <sup>3</sup> (Dusts and mists)
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever
Regulatory reference	ACGIH 2025



# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Copper, as Cu
OEL TWA	0.2 mg/m <sup>3</sup> (Fume) 1 mg/m <sup>3</sup> (Dusts and mists)
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever
Regulatory reference	ACGIH 2025
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Copper, (as Cu)
OEL TWA	0.2 mg/m <sup>3</sup> Fume 1 mg/m <sup>3</sup> Dusts and mists
OEL STEL	0.6 mg/m <sup>3</sup> Fume 3 mg/m <sup>3</sup> Dusts and mists
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Copper, (as Cu)
OEL TWA	0.2 mg/m <sup>3</sup> Fume 1 mg/m <sup>3</sup> Dusts and mists
OEL STEL	0.6 mg/m <sup>3</sup> Fume 3 mg/m <sup>3</sup> Dusts and mists
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Copper - Dusts and mists, as Cu
OEL TWAEV	1 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Act, R.S.O. 1990, c. O.1 - R.R.O. 1990, Reg. 833: Control of exposure to biological or chemical agents
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Copper, as Cu
OEL TWA	0.2 mg/m <sup>3</sup> (Fume) 1 mg/m <sup>3</sup> (Dusts and mists)
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever
Regulatory reference	ACGIH 2025
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Copper, (as Cu)
OEL TWA	0.2 mg/m <sup>3</sup> fume 1 mg/m <sup>3</sup> dusts and mists
OEL STEL	0.6 mg/m <sup>3</sup> fume 3 mg/m <sup>3</sup> dusts and mists
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10



# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Tin (7440-31-5)	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Tin, as Sn - Metal
OEL TWA	2 mg/m <sup>3</sup>
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Tin and its inorganic compounds, (as Sn) (except stannane and indium tin oxide)
VEMP (OEL TWAEV)	2 mg/m <sup>3</sup> Pi
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Tin
OEL TWA	2 mg/m <sup>3</sup>
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Tin, metal, as Sn
OEL TWA	2 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Pneumoconiosis
Regulatory reference	ACGIH 2025
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	Tin and inorganic compounds,excluding Tin hydride, as Sn (1992) Metal
OEL TWA	2 mg/m <sup>3</sup>
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Tin, metal, as Sn
OEL TWA	2 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Pneumoconiosis
Regulatory reference	ACGIH 2025
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Tin, metal, as Sn
OEL TWA	2 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Pneumoconiosis
Regulatory reference	ACGIH 2025
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Tin, (as Sn): metal
OEL TWA	2 mg/m <sup>3</sup>
OEL STEL	4 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)



# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Tin, (as Sn): metal
OEL TWA	2 mg/m <sup>3</sup>
OEL STEL	4 mg/m <sup>3</sup>
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)

<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Tin - Metal
OEL TWAEV	2 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Act, R.S.O. 1990, c. O.1 - R.R.O. 1990, Reg. 833: Ontario table of occupational exposure limits

<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Tin, metal, as Sn
OEL TWA	2 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Pneumoconiosis
Regulatory reference	ACGIH 2025

<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Tin, (as Sn): metal
OEL TWA	2 mg/m <sup>3</sup>
OEL STEL	4 mg/m <sup>3</sup>
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

Additional information	This product is physiologically inert in its massive form. However, when used dust and / or fumes may be generated and pose a physiological hazard if inhaled or ingested. Avoid inhalation of dusts as well as prolonged and repeated contact with skin to prevent mechanical irritation. Dust during usage is easily ignited and difficult to extinguish. Inhalation of particles in dust (from workpiece) may occur during use. A loud noise may occur during use.
------------------------	---

## 8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station. Use dust removal system, vacuum cleaner, air cleaner; cooling water cleaner (Hilti WMS system).

## 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Dust formation: dust mask. In case of dust production: protective goggles. Gloves. Protective clothing.

<b>Hand protection:</b>				
Type	Material	Permeation	Thickness (mm)	Penetration
Protective gloves				

<b>Eye protection:</b>
Safety glasses

# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Type	Field of application	Characteristics
Safety glasses	Dust	

<b>Skin and body protection:</b>
Wear suitable protective clothing

<b>Respiratory protection:</b>		
Where exposure through inhalation may occur from use, respiratory protection equipment is recommended		
Device	Filter type	Condition
		Dust protection

### Personal protective equipment symbol(s):



### Other information:

Hazardous dust of the workpiece material may be generated during grinding / drilling and / or sanding operations. National regulations for dust exposure limit values have to be taken into consideration as part of the job hazard assessment.

Most of the dust generated during grinding is from the base material being ground and the potential hazard from this exposure must be evaluated. This dust may present a fire or dust explosion hazard and may present a serious health hazard.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	No data available
Colour	Various colours
Odour	odourless
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Relative evaporation rate (ether=1)	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	> 400 °C
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative vapour density at 20°C	No data available
Relative density	No data available
Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	No data available
Viscosity, kinematic	No data available

# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Explosive limits No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport. Product is not explosive.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
Conditions to avoid	No additional information available
Incompatible materials	No additional information available
Hazardous decomposition products	No additional information available
Hardening time:	No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

#### copper (7440-50-8)

LC50 Inhalation - Rat (Dust/Mist)	> 5.11 mg/l/4h (OECD 436 method)
-----------------------------------	----------------------------------

#### Tin (7440-31-5)

LD50 oral rat	> 2000 mg/kg (OECD 423 method);No mortality with the given dose
LD50 dermal rat	> 2000 mg/kg (OECD 402 method);No mortality with the given dose
LC50 Inhalation - Rat	> 4.75 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Remarks on results: not determinable due to absence of adverse toxic effects
LC50 Inhalation - Rat (Dust/Mist)	> 4.75 mg/l (OECD 403 method);No mortality with the given dose

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified

#### Tin (7440-31-5)

NOAEL (subacute, oral, animal/female, 28 days)	> 1000 mg/kg bodyweight/day (OECD 407 method)
--	---

Aspiration hazard	Not classified
Likely routes of exposure	Inhalation.
Potential adverse human health effects and symptoms	Irritation: may cause irritation to the respiratory system.
Symptoms/effects after inhalation	May cause respiratory irritation.



# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Symptoms/effects after eye contact May cause severe irritation.

## SECTION 12: Ecological information

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) Not classified

Hazardous to the aquatic environment, long-term (chronic) Not classified

Tin (7440-31-5)	
ErC50 algae	> 19.2 µg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, <i>Pseudokirchneriella subcapitata</i> , Static system, Fresh water, Experimental value, Tin)
LOEC (chronic)	0.2 mg/l (7d; <i>Ceriodaphnia dubia</i> ; EPA 1002.0)

## 12.2. Persistence and degradability

copper (7440-50-8)	
Persistence and degradability	Not applicable for inorganic substances.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

### 12.3. Bioaccumulative potential

copper (7440-50-8)	
Bioaccumulative potential	Bioaccumulation: not applicable.
Tin (7440-31-5)	
Bioaccumulative potential	Not applicable for inorganic substances.

## 12.4. Mobility in soil

copper (7440-50-8)	
Ecology - soil	Adsorbs into the soil.
Tin (7440-31-5)	
Surface tension	Not applicable (water solubility < 1 mg/l)
Ecology - soil	Adsorbs into the soil.

## 12.5. Other adverse effects

Ozone Not classified  
Other information Do not allow the product, as is, to spread into the environment.



# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Regional waste regulation	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
Ecological waste information	Avoid release to the environment. Hazardous waste due to toxicity.

### SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

#### 14.6. Special precautions for user

##### TDG

Not regulated

##### DOT

Not regulated

##### IMDG

Not regulated

##### IATA

Not regulated

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. National regulations

Synthetic diamond vacuum brazed wire	
Canada DSL & NDSL Flags	All components of this product are listed, or excluded from listing, on the Canadian Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)



# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

copper (7440-50-8)
--------------------

<b>Listed on the Canadian DSL (Domestic Substances List)</b>
--

Tin (7440-31-5)
-----------------

<b>Listed on the Canadian DSL (Domestic Substances List)</b>
--

## SECTION 16: Other information

SDS Major/Minor	None
Issue date	11-11-2025
Revision date	11-11-2025
Supersedes	05-05-2025

Indication of changes
-----------------------

Section	Changed item	Change	Comments
	Legislation	Modified	

Abbreviations and acronyms:
-----------------------------

CAS-No.	Chemical Abstract Service number
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
IOELV	Indicative Occupational Exposure Limit Value
LC50	Median lethal concentration
LD50	Median lethal dose

# Synthetic diamond vacuum brazed wire

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Abbreviations and acronyms:	
LOAEL	Lowest Observed Adverse Effect Level
N.O.S.	Not Otherwise Specified
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
TRGS	Technical Rules for Hazardous Substances
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
WGK	Water Hazard Class
vPvB	Very Persistent and Very Bioaccumulative

SDS\_CA\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.