

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272  
Issue date: 11/11/2025 Revision date: 11/11/2025 Supersedes: 04/10/2025

Version: 2.0

## SECTION 1: Identification

### 1.1. Product identifier

Product form	Article
Trade name	Synthetic diamond impregnated segments
Product code	BU Diamond

### 1.2. Other means of identification

Other means of identification	Cutting discs VB, DC-D SPX, P-S and P-T; Blades SPX metal / PVC / chamfer; Cups SPX
-------------------------------	---

### 1.3. Recommended use of the chemical and restrictions on use

Recommended use	Grinding materials
Restrictions on use	For professional use only

### 1.4. Supplier's details

Supplier	Department issuing data specification sheet
Hilti (Canada) Corp. 2201 Bristol Circle Suite 700 CA L6H 0J8 Oakville, Ontario Canada T +1905 8139200 1-800-363-4458 toll free, F +1 905 813 9009 <a href="mailto:ca-sales@hilti.com">ca-sales@hilti.com</a>	Hilti AG Feldkircher Strasse 100 FL 9494 Schaan Liechtenstein T +423 234 2111 <a href="mailto:product.compliance-power.tools@hilti.com">product.compliance-power.tools@hilti.com</a>

### 1.5. Emergency telephone number

Emergency number	Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 101022 (USA domestic) 1 800 535 5053 or international (001) 352 323 3500
------------------	--

## SECTION 2: Hazard identification

### 2.1. Classification of the substance or mixture

Classification (GHS CA)  
Not classified

### 2.2. GHS Label elements, including precautionary statements

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
copper	copper bronze, powder / copper, powder	CAS-No.: 7440-50-8	≤ 30	Not classified
nickel	nickel elemental nickel	CAS-No.: 7440-02-0	≤ 10	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372
Cobalt	cobalt	CAS-No.: 7440-48-4	≤ 5	Acute Tox. 4 (Oral), H302 Resp. Sens. 1B, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Repr. 1B, H360
Tin	Tin alpha-tin / silver matt / tin	CAS-No.: 7440-31-5	≤ 5	Not classified
tungsten carbide	tungsten carbide	CAS-No.: 12070-12-1	≤ 5	Carc. 1B, H350 STOT RE 2, H373
Chromium	Chromium chromium / chromium, metal	CAS-No.: 7440-47-3	≤ 1	Not classified
Silicon	silicon	CAS-No.: 7440-21-3	≤ 1	Not classified
Tungsten (W)	Tungsten (W) tungsten / wolfram	CAS-No.: 7440-33-7	< 1	Not classified

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. When symptoms occur: go into open air and ventilate suspected area.
First-aid measures after skin contact	Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse eyes with water as a precaution. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Rinse mouth.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	May cause respiratory irritation.
Symptoms/effects after eye contact	May cause severe irritation.
Potential adverse human health effects and symptoms	Irritation: may cause irritation to the respiratory system.

### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	Treat symptomatically.
-----------------------------------	------------------------

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media Use extinguishing agent suitable for surrounding fire. Water. Sand. Foam. Carbon dioxide.  
Unsuitable extinguishing media Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the hazardous product

Fire hazard Not flammable.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up Shovel into suitable and closed container for disposal.

For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling The product should not be used for purposes other than those shown above without first referring to the supplier and obtaining written handling instructions.  
Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.  
Additional hazards when processed Normal use of this product shall imply use in accordance with the instructions on the packaging and in line with the expectations of a professional user.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a dry place.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

copper (7440-50-8)	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Copper
OEL TWA	0.2 mg/m <sup>3</sup> Fume 1 mg/m <sup>3</sup> Dusts/mists, as Cu
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Copper

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

VEMP (OEL TWAEV)	0.2 mg/m <sup>3</sup> Fume (as Cu) 1 mg/m <sup>3</sup> Dusts & mists (as Co)
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Copper, as Cu
OEL TWA	1 mg/m <sup>3</sup> Dusts and mists 0.2 mg/m <sup>3</sup> Fume
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Copper, as Cu
OEL TWA	0.2 mg/m <sup>3</sup> (Fume) 1 mg/m <sup>3</sup> (Dusts and mists)
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever
Regulatory reference	ACGIH 2025
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	Copper Dusts and mists, as Cu
OEL TWA	1 mg/m <sup>3</sup>
Notations and remarks	Irr; GI; metal fume fever
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Copper, as Cu
OEL TWA	0.2 mg/m <sup>3</sup> (Fume) 1 mg/m <sup>3</sup> (Dusts and mists)
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever
Regulatory reference	ACGIH 2025
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Copper, as Cu
OEL TWA	0.2 mg/m <sup>3</sup> (Fume) 1 mg/m <sup>3</sup> (Dusts and mists)
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever
Regulatory reference	ACGIH 2025
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Copper, (as Cu)
OEL TWA	0.2 mg/m <sup>3</sup> Fume 1 mg/m <sup>3</sup> Dusts and mists
OEL STEL	0.6 mg/m <sup>3</sup> Fume 3 mg/m <sup>3</sup> Dusts and mists
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Copper, (as Cu)
OEL TWA	0.2 mg/m <sup>3</sup> Fume 1 mg/m <sup>3</sup> Dusts and mists
OEL STEL	0.6 mg/m <sup>3</sup> Fume 3 mg/m <sup>3</sup> Dusts and mists
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Copper - Dusts and mists, as Cu
OEL TWAEV	1 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Act, R.S.O. 1990, c. O.1 - R.R.O. 1990, Reg. 833: Control of exposure to biological or chemical agents
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Copper, as Cu
OEL TWA	0.2 mg/m <sup>3</sup> (Fume) 1 mg/m <sup>3</sup> (Dusts and mists)
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever
Regulatory reference	ACGIH 2025
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Copper, (as Cu)
OEL TWA	0.2 mg/m <sup>3</sup> fume 1 mg/m <sup>3</sup> dusts and mists
OEL STEL	0.6 mg/m <sup>3</sup> fume 3 mg/m <sup>3</sup> dusts and mists
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
<b>Cobalt (7440-48-4)</b>	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Cobalt, elemental inorganic compounds, as Co
OEL TWA	0.02 mg/m <sup>3</sup>
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Cobalt, elemental and inorganic compounds (as Co)
VEMP (OEL TWAEV)	0.02 mg/m <sup>3</sup> Pi
Notations and remarks	C3, S(D), S(R)
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Hard metals, containing Cobalt and Tungsten Carbide, as Co
OEL TWA	0.005 mg/m <sup>3</sup> Thoracic

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Notations and remarks	ACGIH Carcinogenicity category A2; IARC group 2A carcinogen; S(R) (substance with specific evidence of sensitization by respiratory route)
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Hard metals containing Cobalt, as Co
OEL TWA	0.005 mg/m <sup>3</sup> (T - Thoracic particulate matter)
Notations and remarks	TLV® Basis: Pulm func change. Notations: DSEN; RSEN; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2025
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	Cobalt and inorganic compounds as Co
OEL TWA	0.02 mg/m <sup>3</sup>
Notations and remarks	Pneumonitis
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Hard metals containing Cobalt, as Co
OEL TWA	0.005 mg/m <sup>3</sup> (T - Thoracic particulate matter)
Notations and remarks	TLV® Basis: Pulm func change. Notations: DSEN; RSEN; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2025
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Hard metals containing Cobalt, as Co
OEL TWA	0.005 mg/m <sup>3</sup> (T - Thoracic particulate matter)
Notations and remarks	TLV® Basis: Pulm func change. Notations: DSEN; RSEN; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2025
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Cobalt and inorganic compounds, (as Co)
OEL TWA	0.02 mg/m <sup>3</sup>
OEL STEL	0.06 mg/m <sup>3</sup>
Notations and remarks	Designated substance
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Cobalt and inorganic compounds, (as Co)
OEL TWA	0.02 mg/m <sup>3</sup>
OEL STEL	0.06 mg/m <sup>3</sup>
Notations and remarks	Designated substance
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Cobalt and inorganic compounds, as Co
OEL TWAEV	0.02 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Act, R.S.O. 1990, c. O.1 - R.R.O. 1990, Reg. 833: Control of exposure to biological or chemical agents
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Hard metals containing Cobalt, as Co
OEL TWA	0.005 mg/m <sup>3</sup> (T - Thoracic particulate matter)
Notations and remarks	TLV® Basis: Pulm func change. Notations: DSEN; RSEN; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2025
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Cobalt and inorganic compounds, (as Co)
OEL TWA	0.02 mg/m <sup>3</sup>
OEL STEL	0.06 mg/m <sup>3</sup>
Notations and remarks	Designated Chemical Substance
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
<b>Chromium (7440-47-3)</b>	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Chromium and inorganic compounds, as Cr - Metal and Cr III compounds
OEL TWA	0.5 mg/m <sup>3</sup>
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Chromium (metal)
VEMP (OEL TWAEV)	0.5 mg/m <sup>3</sup> Pi
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Chromium and inorganic compounds: Metallic chromium, as Cr(0)
OEL TWA	0.5 mg/m <sup>3</sup> Inhalable
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Chromium, Metallic chromium, as Cr(0)
OEL TWA	0.5 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Resp tract irr
Regulatory reference	ACGIH 2025

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	Chromium and inorganic compounds as Cr Metal and Cr III compounds
OEL TWA	0.5 mg/m <sup>3</sup>
Notations and remarks	URT & skin irr
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Chromium, Metallic chromium, as Cr(0)
OEL TWA	0.5 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Resp tract irr
Regulatory reference	ACGIH 2025
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Chromium, Metallic chromium, as Cr(0)
OEL TWA	0.5 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Resp tract irr
Regulatory reference	ACGIH 2025
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Chromium metal and inorganic compounds, (as Cr): Metal and Cr (III) compounds
OEL TWA	0.5 mg/m <sup>3</sup>
OEL STEL	1.5 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Chromium metal and inorganic compounds, (as Cr): Metal and Cr (III) compounds
OEL TWA	0.5 mg/m <sup>3</sup>
OEL STEL	1.5 mg/m <sup>3</sup>
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Chromium, Metallic chromium, as Cr(0)
OEL TWA	0.5 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Resp tract irr
Regulatory reference	ACGIH 2025
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Chromium metal and inorganic compounds, (as Cr): Metal and Cr (III) compounds
OEL TWA	0.5 mg/m <sup>3</sup>
OEL STEL	1.5 mg/m <sup>3</sup>
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

nickel (7440-02-0)	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Nickel Elemental/metal
OEL TWA	1.5 mg/m <sup>3</sup>
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Nickel Metal
VEMP (OEL TWAEV)	1.5 mg/m <sup>3</sup> Id
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Nickel - Insoluble inorganic compounds, as Ni
OEL TWA	0.05 mg/m <sup>3</sup>
Notations and remarks	ACGIH Carcinogenicity category A1, IARC group 1 carcinogen; Nickel compounds are IARC group 1 carcinogens
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Nickel, Elemental/Metal, as Ni
OEL TWA	1.5 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Dermatitis; pneumoconiosis. Notations: A5 (Not Suspected as a Human Carcinogen)
Regulatory reference	ACGIH 2025
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	Nickel as Ni Elemental [7440-02-0]
OEL TWA	1.5 mg/m <sup>3</sup>
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Nickel, Elemental/Metal, as Ni
OEL TWA	1.5 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Dermatitis; pneumoconiosis. Notations: A5 (Not Suspected as a Human Carcinogen)
Regulatory reference	ACGIH 2025
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Nickel, Elemental/Metal, as Ni
OEL TWA	1.5 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Dermatitis; pneumoconiosis. Notations: A5 (Not Suspected as a Human Carcinogen)
Regulatory reference	ACGIH 2025



# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Nickel, (as Ni): Elemental
OEL TWA	1.5 mg/m <sup>3</sup> (inhalable fraction)
OEL STEL	3 mg/m <sup>3</sup> (inhalable fraction)
Notations and remarks	Designated substance
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Nickel, (as Ni): Elemental
OEL TWA	1.5 mg/m <sup>3</sup> (inhalable fraction)
OEL STEL	3 mg/m <sup>3</sup> (inhalable fraction)
Notations and remarks	Designated substance
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Nickel - Elemental/metal
OEL TWAEV	1 mg/m <sup>3</sup> (I - Inhalable fraction)
Regulatory reference	Occupational Health and Safety Act, R.S.O. 1990, c. O.1 - R.R.O. 1990, Reg. 833: Ontario table of occupational exposure limits
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Nickel, Elemental/Metal, as Ni
OEL TWA	1.5 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Dermatitis; pneumoconiosis. Notations: A5 (Not Suspected as a Human Carcinogen)
Regulatory reference	ACGIH 2025
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Nickel, (as Ni): Elemental
OEL TWA	1.5 mg/m <sup>3</sup> (inhalable fraction)
OEL STEL	3 mg/m <sup>3</sup> (inhalable fraction)
Notations and remarks	Designated Chemical Substance
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
Tin (7440-31-5)	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Tin, as Sn - Metal
OEL TWA	2 mg/m <sup>3</sup>
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Tin and its inorganic compounds, (as Sn) (except stannane and indium tin oxide)

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

VEMP (OEL TWAEV)	2 mg/m <sup>3</sup> Pi
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Tin
OEL TWA	2 mg/m <sup>3</sup>
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Tin, metal, as Sn
OEL TWA	2 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Pneumoconiosis
Regulatory reference	ACGIH 2025
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	Tin and inorganic compounds,excluding Tin hydride, as Sn (1992) Metal
OEL TWA	2 mg/m <sup>3</sup>
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Tin, metal, as Sn
OEL TWA	2 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Pneumoconiosis
Regulatory reference	ACGIH 2025
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Tin, metal, as Sn
OEL TWA	2 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Pneumoconiosis
Regulatory reference	ACGIH 2025
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Tin, (as Sn): metal
OEL TWA	2 mg/m <sup>3</sup>
OEL STEL	4 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Tin, (as Sn): metal
OEL TWA	2 mg/m <sup>3</sup>
OEL STEL	4 mg/m <sup>3</sup>
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Tin - Metal

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

OEL TWAEV	2 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Act, R.S.O. 1990, c. O.1 - R.R.O. 1990, Reg. 833: Ontario table of occupational exposure limits
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Tin, metal, as Sn
OEL TWA	2 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Notations and remarks	TLV® Basis: Pneumoconiosis
Regulatory reference	ACGIH 2025
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Tin, (as Sn): metal
OEL TWA	2 mg/m <sup>3</sup>
OEL STEL	4 mg/m <sup>3</sup>
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
Silicon (7440-21-3)	
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Silicon
VEMP (OEL TWAEV)	10 mg/m <sup>3</sup> Td
Notations and remarks	Note 1: The standard corresponds to dust containing no asbestos and the percentage in crystalline silica is less than 1%
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Silicon (Particles Not Otherwise Classified (PNOC))
OEL TWA	10 mg/m <sup>3</sup> Total dust 3 mg/m <sup>3</sup> Respirable fraction
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Silicon
OEL TWA	10 mg/m <sup>3</sup>
OEL STEL	20 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Silicon
OEL TWA	10 mg/m <sup>3</sup>
OEL STEL	20 mg/m <sup>3</sup>
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Silicon



# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

OEL TWA	10 mg/m <sup>3</sup>
OEL STEL	20 mg/m <sup>3</sup>
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

tungsten carbide (12070-12-1)

### Canada (British Columbia) - Occupational Exposure Limits

Local name	Hard metals, containing Cobalt and Tungsten Carbide, as Co
OEL TWA	0.005 mg/m <sup>3</sup> Thoracic
Notations and remarks	ACGIH Carcinogenicity category A2; IARC group 2A carcinogen; S(R) (substance with specific evidence of sensitization by respiratory route)
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)

### Canada (Manitoba) - Occupational Exposure Limits

Local name	Hard metals containing Tungsten carbide, as Co
OEL TWA	0.005 mg/m <sup>3</sup> (T - Thoracic particulate matter)
Notations and remarks	TLV® Basis: Pneumonitis. Notations: RSEN; A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2025

### Canada (Newfoundland and Labrador) - Occupational Exposure Limits

Local name	Hard metals containing Tungsten carbide, as Co
OEL TWA	0.005 mg/m <sup>3</sup> (T - Thoracic particulate matter)
Notations and remarks	TLV® Basis: Pneumonitis. Notations: RSEN; A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2025

### Canada (Nova Scotia) - Occupational Exposure Limits

Local name	Hard metals containing Tungsten carbide, as Co
OEL TWA	0.005 mg/m <sup>3</sup> (T - Thoracic particulate matter)
Notations and remarks	TLV® Basis: Pneumonitis. Notations: RSEN; A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2025

### Canada (Prince Edward Island) - Occupational Exposure Limits

Local name	Hard metals containing Tungsten carbide, as Co
OEL TWA	0.005 mg/m <sup>3</sup> (T - Thoracic particulate matter)
Notations and remarks	TLV® Basis: Pneumonitis. Notations: RSEN; A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2025

Tungsten (W) (7440-33-7)

### Canada (Alberta) - Occupational Exposure Limits

Local name	Tungsten, as W - Metal and insoluble compounds
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Tungsten and compounds, in the absence of Cobalt (as W)
VEMP (OEL TWAEV)	3 ppm Pr
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Tungsten and compounds in the absence of Cobalt, as W
OEL TWA	3 mg/m <sup>3</sup>
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Tungsten and compounds, in the absence of Cobalt, as W
OEL TWA	3 mg/m <sup>3</sup> (R - Respirable particulate matter)
Notations and remarks	TLV® Basis: Lung dam
Regulatory reference	ACGIH 2025
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	Tungsten , as W (1979) Metal and insoluble compounds
OEL TWA	5 mg/m <sup>3</sup>
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Tungsten and compounds, in the absence of Cobalt, as W
OEL TWA	3 mg/m <sup>3</sup> (R - Respirable particulate matter)
Notations and remarks	TLV® Basis: Lung dam
Regulatory reference	ACGIH 2025
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Tungsten and compounds, in the absence of Cobalt, as W
OEL TWA	3 mg/m <sup>3</sup> (R - Respirable particulate matter)
Notations and remarks	TLV® Basis: Lung dam
Regulatory reference	ACGIH 2025
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Tungsten, (as W): Metal and insoluble compounds
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Tungsten, (as W): Metal and insoluble compounds



# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)

### Canada (Ontario) - Occupational Exposure Limits

Local name	Tungsten , as W - Metal and insoluble compounds
OEL TWAEV	5 mg/m <sup>3</sup>
	10 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Act, R.S.O. 1990, c. O.1 - R.R.O. 1990, Reg. 833: Control of exposure to biological or chemical agents

### Canada (Prince Edward Island) - Occupational Exposure Limits

Local name	Tungsten and compounds, in the absence of Cobalt, as W
OEL TWA	3 mg/m <sup>3</sup> (R - Respirable particulate matter)
Notations and remarks	TLV® Basis: Lung dam
Regulatory reference	ACGIH 2025

### Canada (Saskatchewan) - Occupational Exposure Limits

Local name	Tungsten, (as W): metal and insoluble compounds
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

## 8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station. Use dust removal system, vacuum cleaner, air cleaner; cooling water cleaner (Hilti WMS system).

## 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Dust formation: dust mask. In case of dust production: protective goggles. Gloves. Protective clothing.

<b>Materials for protective clothing:</b>
Condition

<b>Condition</b>	<b>Material</b>
	Flame retardant protective clothing

<b>Hand protection:</b>
Wear leather gloves.

Type	Material	Permeation	Thickness (mm)	Penetration
	leather gloves			

<b>Eye protection:</b>
Safety glasses

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Type	Field of application	Characteristics
Safety glasses	Dust	

<b>Skin and body protection:</b>
Wear suitable protective clothing

<b>Respiratory protection:</b>		
Where exposure through inhalation may occur from use, respiratory protection equipment is recommended		
Device	Filter type	Condition
		Dust protection

### Personal protective equipment symbol(s):



### Other information:

Hazardous dust of the workpiece material may be generated during grinding / drilling and / or sanding operations. National regulations for dust exposure limit values have to be taken into consideration as part of the job hazard assessment.

Most of the dust generated during grinding is from the base material being ground and the potential hazard from this exposure must be evaluated. This dust may present a fire or dust explosion hazard and may present a serious health hazard.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	No data available
Colour	Various colours
Odour	odourless
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Relative evaporation rate (ether=1)	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative vapour density at 20°C	No data available
Relative density	No data available
Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	No data available
Viscosity, kinematic	No data available

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Explosive limits No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport. Product is not explosive.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
Conditions to avoid	No additional information available
Incompatible materials	No additional information available
Hazardous decomposition products	No additional information available
Hardening time:	No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

#### copper (7440-50-8)

LC50 Inhalation - Rat (Dust/Mist)	> 5.11 mg/l/4h (OECD 436 method)
-----------------------------------	----------------------------------

#### Cobalt (7440-48-4)

LD50 oral rat	550 mg/kg bodyweight (OECD 425 method)
LD50 oral	550 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 15 day(s))

#### Chromium (7440-47-3)

LD50 oral rat	> 5000 mg/kg ((OECD 420 method); <tx:KFT_READ-ACROSS>)
LC50 Inhalation - Rat	> 5.41 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 5.41 mg/l/4h ((OECD 403 method); <tx:KFT_READ-ACROSS>)

#### nickel (7440-02-0)

LD50 oral rat	> 9000 mg/kg (OECD 401 method)
LD50 oral	9000 mg/kg
LC50 Inhalation - Rat	≥ 10.2 mg/l (1 h)

#### Tin (7440-31-5)

LD50 oral rat	> 2000 mg/kg (OECD 423 method); No mortality with the given dose
LD50 dermal rat	> 2000 mg/kg (OECD 402 method); No mortality with the given dose

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Tin (7440-31-5)	
LC50 Inhalation - Rat	> 4.75 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Remarks on results: not determinable due to absence of adverse toxic effects
LC50 Inhalation - Rat (Dust/Mist)	> 4.75 mg/l (OECD 403 method);No mortality with the given dose
Silicon (7440-21-3)	
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
tungsten carbide (12070-12-1)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402 method)
LC50 Inhalation - Rat	> 5.3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
Tungsten (W) (7440-33-7)	
LD50 oral rat	> 2000 mg/kg (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg (OECD 402 method)
LC50 Inhalation - Rat	> 5.4 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 5.4 mg/l/4h (OECD 403 method)
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Cobalt (7440-48-4)	
IARC group	2A - Probably carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
Chromium (7440-47-3)	
IARC group	3 - Not classifiable
nickel (7440-02-0)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
tungsten carbide (12070-12-1)	
IARC group	2A - Probably carcinogenic to humans
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Chromium (7440-47-3)	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	≥ 0.0044 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
nickel (7440-02-0)	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.1 mg/m <sup>3</sup> (2 years; (OECD 451 method))
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Tin (7440-31-5)	
NOAEL (subacute, oral, animal/female, 28 days)	> 1000 mg/kg bodyweight/day (OECD 407 method)
tungsten carbide (12070-12-1)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Tungsten (W) (7440-33-7)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day (OECD 422 method)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.652 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)

Aspiration hazard Not classified

Likely routes of exposure Inhalation.

Potential adverse human health effects and symptoms Irritation: may cause irritation to the respiratory system.

Symptoms/effects after inhalation May cause respiratory irritation.

Symptoms/effects after eye contact May cause severe irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

Cobalt (7440-48-4)	
LC50 - Fish [1]	> 100 (96h; Danio rerio; OECD 203)
ErC50 algae	0.144 mg/l
EC50 72h - Algae [1]	0.035 mg/l (Pseudokirchnerella subcapitata)
NOEC chronic crustacea	0.00683 mg/l
NOEC (acute)	3.2 mg/l (48h; Daphnia magna; OECD 202)
Chromium (7440-47-3)	
EC50 - Crustacea [1]	13.1 – 14.7 mg/l Test organisms (species): Daphnia magna
nickel (7440-02-0)	
LC50 - Fish [1]	15.3 mg/l (96h; Oncorhynchus mykiss (Rainbow trout))
EC50 - Other aquatic organisms [1]	0.0276 mg/l (48h; Ceriodaphnia dubia)

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

nickel (7440-02-0)	
EC50 72h - Algae [1]	0.0815 mg/l (72h; Pseudokirchneriella subcapitata; (OECD 201 method))
NOEC chronic fish	0.057 mg/l (32 d; Pimephales promelas)
NOEC chronic crustacea	0.0037 mg/l (10 d; Ceriodaphnia dubia; (OECD 211 method))
Tin (7440-31-5)	
ErC50 algae	> 19.2 µg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Tin)
LOEC (chronic)	0.2 mg/l (7d; Ceriodaphnia dubia; EPA 1002.0)
Silicon (7440-21-3)	
LC50 - Fish [1]	> 100 mg/l (Pisces, Read-across)
tungsten carbide (12070-12-1)	
LC50 - Fish [1]	> 1000 mg/l (96 h; Danio rerio; (OECD 403 method))
EC50 - Crustacea [1]	> 1000 mg/l (48 h; Daphnia magna; (OECD 202 method))
ErC50 algae	≥ 31 mg/l (Tungsten (W); 72 h; Raphidocelis subcapitata; (OECD 201 method))
EC50 72h - Algae [1]	> 1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC chronic fish	≥ 9.8 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '38 d'
Tungsten (W) (7440-33-7)	
LC50 - Fish [1]	> 181 mg/l (96 h; Danio rerio; (OECD 203 method); <tx:KFT_READ-ACROSS>)
EC50 - Crustacea [1]	> 163 mg/l (48 h; Daphnia magna; (OECD 202 method); <tx:KFT_READ-ACROSS>)
ErC50 algae	5.76 mg/l (72 h; Pseudokirchneriella subcapitata; (OECD 201 method); <tx:KFT_READ-ACROSS>)
<b>12.2. Persistence and degradability</b>	
copper (7440-50-8)	
Persistence and degradability	Not applicable for inorganic substances.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Cobalt (7440-48-4)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Chromium (7440-47-3)	
Persistence and degradability	Biodegradability: not applicable.

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Chromium (7440-47-3)	
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
nickel (7440-02-0)	
Persistence and degradability	Not applicable for inorganic substances.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Tin (7440-31-5)	
Persistence and degradability	Not applicable for inorganic substances.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Silicon (7440-21-3)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
tungsten carbide (12070-12-1)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Tungsten (W) (7440-33-7)	
Persistence and degradability	Not applicable for inorganic substances.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
<b>12.3. Bioaccumulative potential</b>	
copper (7440-50-8)	
Bioaccumulative potential	Bioaccumulation: not applicable.
Cobalt (7440-48-4)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
BCF - Fish [1]	< 10 (Pisces, Fresh water, Literature study)
BCF - Other aquatic organisms [1]	< 300 (Invertebrata, Literature study)
Chromium (7440-47-3)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

nickel (7440-02-0)	
Bioaccumulative potential	Not applicable for inorganic substances.
BCF - Other aquatic organisms [1]	8 – 45 (≤ 4 week(s), Cambarus sp., Flow-through system, Fresh water, Experimental value, Fresh weight)
Tin (7440-31-5)	
Bioaccumulative potential	Not applicable for inorganic substances.
Silicon (7440-21-3)	
Bioaccumulative potential	Not bioaccumulative.
tungsten carbide (12070-12-1)	
Bioaccumulative potential	No bioaccumulation data available.
Tungsten (W) (7440-33-7)	
Bioaccumulative potential	Not applicable for inorganic substances.
BCF - Fish [1]	0 – 1.23 l/kg (pH 7.2; ca. 7.5 g/L; Poecilia reticulata; EPA OPP 72-6)

### 12.4. Mobility in soil

copper (7440-50-8)	
Ecology - soil	Adsorbs into the soil.
Cobalt (7440-48-4)	
Ecology - soil	No (test)data on mobility of the substance available.
Chromium (7440-47-3)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.
nickel (7440-02-0)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.
Tin (7440-31-5)	
Surface tension	Not applicable (water solubility < 1 mg/l)
Ecology - soil	Adsorbs into the soil.
Silicon (7440-21-3)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for adsorption in soil.
tungsten carbide (12070-12-1)	
Ecology - soil	Adsorbs into the soil.
Tungsten (W) (7440-33-7)	
Surface tension	Not required
Ecology - soil	Highly mobile in soil.



# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Tungsten (W) (7440-33-7)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, Literature study)
--	-------------------------------

### 12.5. Other adverse effects

Ozone	Not classified
Other information	Do not allow the product, as is, to spread into the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Regional waste regulation	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
Ecological waste information	Avoid release to the environment. Hazardous waste due to toxicity.

## SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

### 14.6. Special precautions for user

**TDG**  
Not regulated

**DOT**  
Not regulated

**IMDG**  
Not regulated

**IATA**  
Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable



# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

### SECTION 15: Regulatory information

#### 15.1. National regulations

Synthetic diamond impregnated segments	
Canada DSL & NDSL Flags	All components of this product are listed, or excluded from listing, on the Canadian Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)
copper (7440-50-8)	
<b>Listed on the Canadian DSL (Domestic Substances List)</b>	
Cobalt (7440-48-4)	
<b>Listed on the Canadian DSL (Domestic Substances List)</b>	
Chromium (7440-47-3)	
<b>Listed on the Canadian DSL (Domestic Substances List)</b>	
nickel (7440-02-0)	
<b>Listed on the Canadian DSL (Domestic Substances List)</b>	
Tin (7440-31-5)	
<b>Listed on the Canadian DSL (Domestic Substances List)</b>	
Silicon (7440-21-3)	
<b>Listed on the Canadian DSL (Domestic Substances List)</b>	
tungsten carbide (12070-12-1)	
<b>Listed on the Canadian DSL (Domestic Substances List)</b>	
Tungsten (W) (7440-33-7)	
<b>Listed on the Canadian DSL (Domestic Substances List)</b>	

### SECTION 16: Other information

SDS Major/Minor	None
Issue date	11-11-2025
Revision date	11-11-2025
Supersedes	04-10-2025

Indication of changes			
Section	Changed item	Change	Comments
	Legislation	Modified	

Full text of hazard classes and H-statements:	
H302	Harmful if swallowed

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Full text of hazard classes and H-statements:	
H317	May cause an allergic skin reaction
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms:	
CAS-No.	Chemical Abstract Service number
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
IOELV	Indicative Occupational Exposure Limit Value
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
N.O.S.	Not Otherwise Specified
NOAEC	No-Observed Adverse Effect Concentration

# Synthetic diamond impregnated segments

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

Abbreviations and acronyms:	
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
TRGS	Technical Rules for Hazardous Substances
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
WGK	Water Hazard Class
vPvB	Very Persistent and Very Bioaccumulative

SDS\_CA\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.